

10617997\_CLS1.txt  
Most Frequently Occurring Classifications of Patents Returned  
From A Search of 10617997 on July 21, 2005

Original Classifications

9 184/6.12  
3 74/606R  
2 74/467  
2 192/35  
2 475/160

Cross-Reference Classifications

6 74/467  
5 184/11.1  
5 475/160  
4 74/607  
4 184/11.2  
4 184/6.12  
4 277/565  
2 74/606A  
2 184/13.1  
2 184/6.22  
2 192/54.2  
2 192/69.4  
2 192/93A  
2 277/402  
2 277/571  
2 384/462  
2 403/1

Combined Classifications

13 184/6.12  
8 74/467  
7 475/160  
5 74/607  
5 184/11.1  
5 184/11.2  
4 277/565  
3 74/606R  
2 74/606A  
2 184/13.1  
2 184/6.22  
2 192/113.36  
2 192/35  
2 192/54.2  
2 192/69.4  
2 192/93A  
2 277/402  
2 277/559  
2 277/571  
2 384/462  
2 384/473  
2 384/482  
2 403/1

10617997\_CLS1.txt  
Most Frequently Occurring Classifications of Patents Returned  
From A Search of 10617997 on July 21, 2005

Original Classifications

9 184/6.12  
3 74/606R  
2 74/467  
2 192/35  
2 475/160

Cross-Reference Classifications

6 74/467  
5 184/11.1  
5 475/160  
4 74/607  
4 184/11.2  
4 184/6.12  
4 277/565  
2 74/606A  
2 184/13.1  
2 184/6.22  
2 192/54.2  
2 192/69.4  
2 192/93A  
2 277/402  
2 277/571  
2 384/462  
2 403/1

Combined Classifications

13 184/6.12  
8 74/467  
7 475/160  
5 74/607  
5 184/11.1  
5 184/11.2  
4 277/565  
3 74/606R  
2 74/606A  
2 184/13.1  
2 184/6.22  
2 192/113.36  
2 192/35  
2 192/54.2  
2 192/69.4  
2 192/93A  
2 277/402  
2 277/559  
2 277/571  
2 384/462  
2 384/473  
2 384/482  
2 403/1

Titles of Most Frequently Occurring Classifications of Patents Returned  
From A Search of 10617997 on July 21, 2005

13	184/6.12	(9 OR, 4 XR)
	Class 184 :	LUBRICATION
	184/6	SYSTEMS
	184/6.12	.Gearing
8	74/467	(2 OR, 6 XR)
	Class 074 :	MACHINE ELEMENT OR MECHANISM
	74/640	GEARING
	74/467	.Lubrication
7	475/160	(2 OR, 5 XR)
	Class 475 :	PLANETARY GEAR TRANSMISSION SYSTEMS OR COMPONENTS
	475/159	WITH LUBRICATON
	475/160	.For differential planetary gearing
5	74/607	(1 OR, 4 XR)
	Class 074 :	MACHINE ELEMENT OR MECHANISM
	74/469	CONTROL LEVER AND LINKAGE SYSTEMS
	74/606R	.Gear casings
	74/607	..Axle and torque tubes
5	184/11.1	(0 OR, 5 XR)
	Class 184 :	LUBRICATION
	184/6	SYSTEMS
	184/11.1	.Splash
5	184/11.2	(1 OR, 4 XR)
	Class 184 :	LUBRICATION
	184/6	SYSTEMS
	184/11.1	.Splash
	184/11.2	..With conduit
4	277/565	(0 OR, 4 XR)
	Class 277 :	SEAL FOR A JOINT OR JUNCTURE
	277/345	SEAL BETWEEN RELATIVELY MOVABLE PARTS (I.E., DYNAMIC SEAL)
	277/500	.Circumferential contact seal for other than piston
	277/549	..Peripheral radially sealing flexible projection (e.g., lip seal, etc.)
	277/562	...Plural peripheral radially sealing flexible projections
	277/565	....On radial facing side of single seal
3	74/606R	(3 OR, 0 XR)
	Class 074 :	MACHINE ELEMENT OR MECHANISM
	74/469	CONTROL LEVER AND LINKAGE SYSTEMS
	74/606R	.Gear casings
2	74/606A	(0 OR, 2 XR)
	Class 074 :	MACHINE ELEMENT OR MECHANISM
	74/469	CONTROL LEVER AND LINKAGE SYSTEMS
	74/606R	.Gear casings
	74/606A	..Cooling
2	184/13.1	(0 OR, 2 XR)
	Class 184 :	LUBRICATION
	184/13.1	SPLASH

## 10617997\_CLSTITLES1.txt

- Page 2

10617997\_CLSTITLES1.txt

277/559           ...Hydrodynamic sealing feature

2 277/571           (0 OR, 2 XR)  
           Class 277 : SEAL FOR A JOINT OR JUNCTURE  
           277/345    SEAL BETWEEN RELATIVELY MOVABLE PARTS (I.E.,  
                       DYNAMIC SEAL)  
           277/500    .Circumferential contact seal for other than  
                       piston  
           277/549    ..Peripheral radially sealing flexible  
                       projection (e.g., lip seal, etc.)  
           277/571    ...Wear sleeve

2 384/462           (0 OR, 2 XR)  
           Class 384 : BEARINGS  
           384/91     ROTARY BEARING  
           384/445    .Antifriction bearing  
           384/456    ..Radial bearing  
           384/462    ...Lubricating

2 384/473           (1 OR, 1 XR)  
           Class 384 : BEARINGS  
           384/91     ROTARY BEARING  
           384/445    .Antifriction bearing  
           384/456    ..Radial bearing  
           384/462    ...Lubricating  
           384/473    ....Reservoir, filter or lubrication circuit  
                       structure

2 384/482           (1 OR, 1 XR)  
           Class 384 : BEARINGS  
           384/91     ROTARY BEARING  
           384/445    .Antifriction bearing  
           384/456    ..Radial bearing  
           384/477    ...With specified seal  
           384/481    ....Relatively rotatable radially contacting  
           384/482    .....Resilient sliding surface material

2 403/1            (0 OR, 2 XR)  
           Class 403 : JOINTS AND CONNECTIONS  
           403/1     SELECTIVELY ENGAGEABLE HUB TO SHAFT CONNECTION

about 3  
 above 1  
 abstmct 1  
 accompany 1  
 according 1  
 accordingly 3  
 advantages 1  
 aid 1  
 allow 1  
 allows 2  
 also 1  
 amount 13  
 an 27  
 and 34  
 apart 2  
 apparent 1  
 appended 1  
 applicatiotl 1  
 appreciated 1  
 approximately 3  
 are 11  
 area 1  
 areas 5  
 art 3  
 as 5  
 assemblies 9  
 assembly 8  
 at 7  
 atel 1  
 attain 1  
 axes 2  
 axis 2  
 axle 38  
 axles 3  
 background 1  
 be 10  
 bearing 7  
 bearings 2  
 become 1  
 been 2  
 being 2  
 below 1  
 benefit 1  
 both 1  
 brief 1  
 briefly 1  
 by 8  
 can 1  
 cant 1  
 capacity 1  
 cast 1  
 causes 1  
 cavity 1  
 ccmtainment 1  
 center 1  
 certain 1  
 chalpbbers 1  
 cham 1  
 chamber 3  
 chambers 10  
 change 1  
 changed 1  
 claims 2

clielttvb 1  
 components 1  
 coms 1  
 configuration 2  
 configurations 1  
 configured 2  
 confine 1  
 confining 2  
 contact 1  
 contained 3  
 containing 2  
 containment 12  
 containmentchamber 1  
 containments 1  
 contains 3  
 content 1  
 conventionally 1  
 cooperates 1  
 cover 1  
 critical 3  
 cross 3  
 currently 1  
 define 6  
 defined 3  
 defines 1  
 defining 1  
 depth 1  
 described 3  
 descrinion 1  
 description 5  
 designed 1  
 desirable 1  
 desired 4  
 detailed 3  
 determine 1  
 develop 1  
 dictated 1  
 different 1  
 disclosed 1  
 dispersed 3  
 disposal 1  
 disposed 8  
 distal 1  
 distance 2  
 dividing 1  
 do 1  
 docket 6  
 drawings 2  
 drip 1  
 drive 33  
 driven 4  
 drop 9  
 dry 2  
 during 1  
 each 6  
 either 1  
 embodiment 3  
 embodiments 1  
 end 7  
 ends 2  
 enlarged 2  
 ensure 3  
 entire 3

entry 1  
er 1  
ev 5  
example 2  
exemplary 1  
exit 1  
express 6  
extend 1  
feature 1  
features 1  
figure 7  
fill 1  
filled 3  
first 5  
fixed 1  
floor 3  
following 2  
follows 1  
for 5  
foregoing 1  
form 1  
from 9  
further 1  
gearbox 6  
gearboxes 5  
gears 1  
generally 1  
has 1  
have 1  
having 1  
helical 1  
hollow 4  
housing 50  
however 1  
hub 1  
ij 1  
illustrative 1  
immerse 2  
immersed 1  
in 18  
included 1  
includes 8  
including 2  
increases 1  
intedace 1  
integrally 1  
intended 1  
interface 1  
interior 4  
internal 3  
into 1  
invention 18  
invertcd 1  
inverted 7  
iowered 1  
is 28  
it 2  
iubricant 1  
iubrication 1  
just 2  
known 1  
large 1  
leakage 1

length 1  
level 7  
levels 3  
light 1  
limitation 1  
liters 3  
ln 1  
Inverted 1  
location 1  
lower 2  
lowered 1  
lubr 1  
lubricant 51  
lubricate 3  
lubricates 2  
lubrication 7  
mail 5  
maintain 1  
maintained 1  
maintaining 1  
maintenance 1  
manner 1  
many 1  
mass 1  
mat 1  
material 1  
may 2  
mechanism 25  
mechanisms 1  
member 11  
members 9  
middle 1  
migrating 1  
modifications 2  
most 1  
much 4  
must 3  
nature 1  
near 2  
no 6  
not 5  
number 6  
obtain 2  
of 76  
often 1  
oil 2  
on 2  
one 4  
only 4  
operation 1  
or 2  
order 4  
ordinary 1  
other 1  
otherwise 2  
output 1  
page 6  
parallel 1  
parameters 1  
part 1  
partially 1  
passengers 1  
past 1

periodically 1  
pisclosure 1  
placement 1  
plate 1  
portal 9  
portion 2  
portions 1  
positioned 1  
possible 2  
practiced 1  
preferably 2  
preferred 3  
present 3  
prevent 2  
prevented 1  
prevents 1  
problems 1  
profile 1  
proper 7  
properly 2  
properties 1  
provide 1  
provided 2  
provides 1  
quantity 2  
ra 3  
rather 1  
rcquired 1  
reason 1  
receive 1  
recognize 1  
reduce 5  
reduced 2  
reduces 3  
reducing 1  
referring 3  
relates 1  
relative 1  
relgtive 1  
remain 1  
remaining 1  
removed 1  
required 11  
requires 2  
requiring 4  
rotate 1  
rotates 1  
rotating 3  
rotation 2  
rotatjng 1  
runs 1  
scope 3  
seal 4  
second 4  
section 2  
sectional 3  
sections 1  
shaft 11  
shafts 7  
sheer 1  
should 2  
shown 1  
significant 1

simply 1  
 size 1  
 skill 1  
 skilled 2  
 space 1  
 spaced 2  
 specific 2  
 specifically 2  
 specification 1  
 specified 1  
 structures 1  
 studied 1  
 such 2  
 sufficient 1  
 summary 1  
 support 2  
 supported 1  
 supports 1  
 surrounding 1  
 suspended 1  
 teachings 1  
 terminology 1  
 than 3  
 that 16  
 thatrequires 1  
 thc 1  
 the 157  
 these 1  
 this 17  
 those 1  
 through 2  
 throughout 3  
 to 51  
 torque 2  
 total 1  
 transit 1  
 transmit 1  
 transmits 1  
 true 1  
 tt 1  
 typically 4  
 understood 2  
 us 6  
 use 1  
 used 3  
 variations 1  
 various 1  
 vehicle 2  
 vehicles 1  
 view 4  
 web 20  
 weritompol 1  
 wheel 1  
 while 1  
 will 1  
 with 6  
 within 23  
 words 1  
 worker 1  
 would 2  
 zmalen 1

10617997\_EAST1.txt

(4535860  
4815884  
5297452  
5302158  
5404963  
5695426  
6186277  
6199652  
3862672  
3847249  
3838751  
3825099  
4095675  
4119167  
4274298  
4385677  
4393922  
4441597  
4448461  
4465169  
4470491  
4479395  
4754847  
4841807  
4907669  
4923432  
4970913  
5199317  
5207121  
5232291  
5286232  
5294350  
5297855  
5328011  
5358072  
5386898  
5387039  
5403218  
5468072  
5535850  
5540300  
5553870  
5560619  
5562561  
5586939  
5588715  
5649710  
5697472  
5709135  
5724864).pn.